

## 规格承认书

—

\_\_\_\_\_

\_\_\_\_\_


prepare	
check	
approve	



**TRX 特锐祥**  
专 注 电 容 器 11 年

TRX电容一级代理商

深圳市弗瑞鑫电子有限公司

Add:深圳市宝安区西乡大道302号金源商务大厦B座3楼

Tel:0755-29563634

Fax:0755-27447020

- 2

2 . .

/

/

/

/



- 2 2 . .			
/		/	
/		/	

	- 2 2 . .		
	/		/
	/		/

1. /

$\overline{\text{①}}$   $\overline{\text{②}}$   $\overline{\text{③}}$   $\overline{\text{④}}$   $\overline{\text{⑤}}$   $\overline{\text{⑥}}$

①

	- 2 2 . .		
	/		/
	/		/

3. /




4. /


5. /







①		
②		
③		
④		
⑤		




6. /  
/

°  
°C  
°  
°  
°




	- 2 2 . .		
	/		/
	/		/

/

°  
°C

°


°

°

/

7. /




	- 2 2 . .		
	/		/
	/		/





- 2  
2 ..

/

/

/

/


					±
		±			
		±			
		±			
		±			






			± ± ± ±
			± ± ± ±

8. /






11. /  
/









ITEM	W	A0	B0	K1	K0	P	F	E	D0	D1	P0	P2	T
DIM	12.0	$4.0^{+0.30}_{-0.30}$	$5.70^{+0.10}_{-0.10}$	--	$2.70^{+0.10}_{-0.10}$	$8.00^{+0.10}_{-0.10}$	$5.50^{+0.10}_{-0.10}$	$1.75^{+0.10}_{-0.10}$	$\phi 1.5^{+0.10}_{-0.00}$	$\phi 1.5^{+0.10}_{-0.10}$	$4.00^{+0.10}_{-0.10}$	$2.00^{+0.10}_{-0.10}$	$0.30^{+0.05}_{-0.05}$
ALTERNATE													







/

Item	Data	Remark
Cover tape adhesion	10 ~ 100g	Carrier tape and cover tape open angle 165 ~ 180° F=300±5mm/minute



/ -			
 <p>标签</p>	 <p>料号</p>		
			

/ -			
			
图示 /	图示 /	图示 /	

/ :			
			
/	/		

" "



	- 2 2 . .		
	/		/
	/		/

12. /

①

②