

深圳市弗瑞鑫电子有限公司

规格承认书

—

prepare	
check	
approve	





TRX电容一级代理商
深圳市弗瑞鑫电子有限公司

深圳市宝安区西乡大道302号金源商务大厦B座301
 0755-29563634
 0755-27447020




/ . .

	/	..	



A Typical Reflow Profile For High-Pb Solder Paste



	/ . .			



.

.


.

.

-

. .

-





TRX 特锐祥

专 注 电 容 器 11 年


/ . .

		000		00	0/0
		000			0
		0			
0				+0	0
			..	+0	0
			%	0.	0.
			0%		
			0%		
		0%			
		.%			
		.%			
		.%			
				0.	
					(
					0-0.
					0-0.
					0.


					+
					-
()					

				000+	/-0	
			(- 0) / 0 0%	000	000	
			000		%.	%
			(- 0) / 0 0%	0	()	0000
			000			
			000			





			0 % 0 % 0 %
			0 % 0 % 0 %
			0 % 0 % 0 %




/ . .			



()
()
()



/ . .			






)	
	00
	●●●●●●●●
	●●●●●●●●
	●●●●●●●●
	●●●●●●●●
	●●●●●●●●
	●●●●●●●●
	00
+ + + + () + + +	●●●●●●●●
	●●●●●●●●
	●●●●●●●●
+ +	●●●●●●●●
()	000


	/ . .			




/ . .			



Item	Data	Remark
Cover tape adhesion	10 ~ 100g	Carrier tape and cover tape open angle 165 ~ 180° F=300±5mm/minute




/ . .			





	/
	#

.0 /



()				
			0	0.



| /

00* 00* 0 (/ /)

00* 00* / 00

|

		&	. 0
			& -

	/ . .			

..

-

.

..

..

.....

.

.

....

..

,

gÁ

	/ . .			

()

,

.

.

.

,

.



TRX 特锐祥

专 注 电 容 器 11 年

/ . .			

0 - 00 00

0 - 00

/ . - (0 - -)

- 00 (0 -)

/ . - 00 (-)

() -

/ - ()

/ - 00 ()

/ - 00

/ - 00

0 / / (.0)

00 / / ()

/ / 00 / 0/

/ / 0

0 / 00 ()

0

/ /

()