



深圳市弗瑞鑫电子有限公司

规格承认书

—
————
————

prepare	
check	
approve	



TRX电容一级代理商

深圳市弗瑞鑫电子有限公司

Add:深圳市宝安区西乡大道302号金源商务大厦B座3楼

Tel:0755-29563634

Fax:0755-27447020

2


2 . .


/

/

/

/


	2 2 . .		
	/		/
	/		/

	2 2 . .		
	/		/
	/		/

1. /

$\overline{\text{①}}$ $\overline{\text{②}}$ $\overline{\text{③}}$ $\overline{\text{④}}$ $\overline{\text{⑤}}$ $\overline{\text{⑥}}$

①

	2 2 . .		
	/		/
	/		/

3. /



4. /

5. /






①		
②		
③		
④		
⑤		

2
2 . .

/ /
/ /25

	2 2 . .		
	/		/
	/		/

/

°
°C


°

°


°


/

7. /


	2 2 . .		
	/		/
	/		/




 TRX 专注电容器廿年	2		
	2 . .		
	/		/
	/		/

			 <p>Approximately 8mm</p> <p>burner</p> <p>45°</p> <p>flame</p> <p>200±5mm</p> <p>Test specimen</p> <p>Tissue paper</p> <p>Wood board of approximately 10mm in thickness</p>
--	--	--	--

8. /



 TRX 专注电容器廿年	2 2 ..		
	/		/
	/		/

9. /



10. /

(1)

(2)


/

/


(3)

(4)


11. /
/




User Direction of Unreeling




ITEM	W	A0	B0	K1	K0	P	F	E	D0	D1	P0	P2	T
DIM	12.0	4.7 ± 0.10	5.70 ± 0.10	--	2.70 ± 0.10	8.00 ± 0.10	5.50 ± 0.10	1.75 ± 0.10	$\phi 1.5 \pm 0.10$	$\phi 1.5 \pm 0.10$	4.0 ± 0.10	2.0 ± 0.10	0.30 ± 0.05
ALTERNATE													




Item	Data	Remark
Cover tape adhesion	10 ~ 100g	Carrier tape and cover tape open angle 165 ~ 180° F=300±5mm/minute




 TRX 专注电容器廿年	2 2 . .			
	/		/	
	/		/	


/ -





标签



料号







/ -





图示 /




图示 /




图示 /


/ :




/




/





--

	2 2 . .		
	/		/
	/		/

12. /

①

②